**PATENT** S/N Unknown

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Beverly L. Davidson et al. Examiner:

M. Mosher

Serial No.:

Unknown

Group Art Unit:

Unknown

Filed:

Herewith

Docket:

875.044US2

Title:

ADENOVIRUS SEROTYPE 30 (Ad30)

(Divisional of U.S. Serial No. 09/758,008 filed January 9, 2001)

## INFORMATION DISCLOSURE STATEMENT

**Assistant Commissioner for Patents** P.O.Box 1450 Alexandria, VA 22313-1450

In compliance with the duty imposed by 37 C.F.R. § 1.56, and in accordance with 37 C.F.R. §§ 1.97 et. seq., the enclosed materials are brought to the attention of the Examiner for consideration in connection with the above-identified patent application. Applicants respectfully request that this Information Disclosure Statement be entered and the documents listed on the attached Form 1449 be considered by the Examiner and made of record. Pursuant to the provisions of MPEP 609, Applicants request that a copy of the 1449 form, initialed as being considered by the Examiner, be returned to the Applicants with the next official communication.

Pursuant to 37 C.F.R. §1.97(b), it is believed that no fee or statement is required with the Information Disclosure Statement. However, if an Office Action on the merits has been mailed, the Commissioner is hereby authorized to charge the required fees to Deposit Account No. 19-0743 in order to have this Information Disclosure Statement considered.

Pursuant to 37 C.F.R. §1.98(d), copies of the listed documents are not provided as these references were previously cited by or submitted to the U.S. Patent Office in connection with Applicants' prior U.S. application, Serial No. 09/758008, filed on January 09, 2001, which is relied upon for an earlier filing date under 35 U.S.C. §120.

Serial No :Unknown Filing Date: Herewith

Title: ADENOVIRUS SEROTYPE 30 (Ad30)

The Examiner is invited to contact the Applicants' Representative at the below-listed telephone number if there are any questions regarding this communication.

Respectfully submitted,

BEVERLY L. DAVIDSON ET AL.

By their Representatives,

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A. P.O. Box 2938
Minneapolis, MN 55402
(612) 373-6961

Date July 15, 2003

Ann S. Viksnins Reg. No. 37,748

"Express Mail" mailing label number: <u>EL 833 034 715 US</u>

Date of Deposit: July 15, 2003

This paper or fee is being deposited on the date indicated above with the United States Postal Service pursuant to 37 CFR 1.10, and is addressed to the Commissioner for Patents, Mail Stop Patent Application, P.O. Box 1450, Alexandria, VA 22313-1450.

Substitute for form 1449A/PTO	Under the Paperwork Reduction Act of 1995, no persons are  Complete if Known	required to respond to a collection of incommission unless it commiss a value owns control number
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Applicati n Number	Unknown
(Use as many sheets as necessary)	Filing Date	Even Date Herewith
	First Named Inventor	Davidson, Beverly
	Group Art Unit	Unknown
	Examiner Name	Mosher, M.
Sheet 1 of 3	Attorney Docket No: 8	375.044US2

		US PA	ATENT DOCUMENTS	S		
Examiner Initial *	USP Document Number	Publication Date	Name of Patentee or Applicant of cited Document	Class	Subclass	Filing Date If Appropriate

		FOREIGN PAT	ENT DOCUMENTS			<u>-</u>
Examiner Initials*	Foreign Document No	Publication Date	Name of Patentee or Applicant of cited Document	Class	Subclass	T <sup>2</sup>
	WO-00/03029	01/20/2000	Havenga, M., et al.	C12N	15/86	
	WO-98/22609	05/28/1998	Armentano, D E., et al.	C12N	15/86	

	OTHE	R DOCUMENTS NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
		"Recombinant human adenovirus: Targeting to the human transferrin receptor improves gene transfer to brain microcapillary endothelium", <u>Journal of Virology</u> , Vol. 74, No. 23 (0022-538X),(December 2000),11359-11366	
		ANDERSON, R. D., "A simple method for the rapid generation of recombinant adenovirus vectors", Gene Therapy, 7, (2000),pp. 1034-1038	
		ARNBERG, N., et al., "Fiber Genes of Adenoviruses with Tropism for the Eye and the Genital Tract", Virology, 227, (1997),239-244	
		BERGELSON, J. M., et al., "Isolation of a Common Receptor for Coxsackie B Viruses and Adenoviruses 2 and 5", Science, 275, (Feb. 1997),pp. 1320-1323	
		BERGELSON, J. M., et al., "The Murine CAR Homolog Is a Receptor for Coxsackie B Viruses and Adenoviruses", <u>Journal of Virology</u> , 72 (1), (Jan. 1998),pp. 415-419	
		CHILLON, M, et al., "Fiber Human Adenovirus Type 17", <u>Database Accession</u> no. Q9WF20, (11/1/1999),	
		CHILLON, M., et al., "Group D Adenoviruses Infect Primary Central Nervous System Cells More Efficiently Than Those From Group C", <u>Journal of Virology</u> , <u>73(3)</u> , (Mar. 1999),pp. 2537-2540	
		CROMPTON, J., et al., "Expression of a foreign epitope on the surface of the adenovirus hexon", Journal of General Virology, 75, (1994),pp. 133-139	
		FASBENDER, A., et al., "Incorporation of Adeonovirus in Calcium Phosphate Precipitates Enhances Gene Transfer to Airway Epithelia In Vitro and In Vivo", The Journal Of Clinical Investigation, 102 (1), (July 1998),pp. 184-192	
		FREIMUTH, P., et al., "Coxsackievirus and Adenovirus Receptor Amino- Terminal Immunoglobulin V-Related Domain Binds Adenovirus Type 2 and Fiber Knob from Adenovirus Type 12", <u>Journal of Virology</u> , 73 (2), (Feb. 1999),pp. 1392-1398	
		GALL, J., et al., "Adenovirus Type 5 and 7 Capsid Chimera: Fiber Replacement	

**EXAMINER** 

**DATE CONSIDERED** 

PTO/S8/08A(10-01)
Approved for use through 1031/2002, OAR 851-0031
US Patent 6 Trademark Office. U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OARS control number.

Compilete if Known Substitute for form 1449A/PTO Complete if Known INFORMATION DISCLOSURE Unknown **Application Number** STATEMENT BY APPLICANT Even Date Herewith **Filing Date** (Use as many sheets as necessary) Davidson, Beverly **First Named Inventor Group Art Unit** Unknown Mosher, M. **Examiner Name** Attorney Docket No: 875.044US2 Sheet 2 of 3

Examiner Cite No Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the Item (book, magazine, journals serial, sympoleum, catalog, etc.), attay, page(s), volume-dissue number(s), publisher, city and/or country where published.  Afters Receptor Tropism without Affecting Primary Immune Neutralization Epitopes", Journal of Virology, 70 (4), (Apr. 1996),pp. 2116-2123  GONZALEZ, R., et al., "Increased gene transfer in acute myeloid leukemic cells by an adenovirus vector containing a modified fiber protein", Gene Therapy, 6, (1999),pp. 314-320  HSU, K. L., et al., "A Monoclonal Anitibody Specific for the Cellular Receptor for the Group B Coxsackieviruses", Journal of Virology, 62 (5), (May 1988),pp. 1647-1652  KIRBY, I., et al., "Identification of Contact Residues and Definition of the CAR-Binding Site of Adenovirus Type 5 Fiber Protein", Journal of Virology, 74 (6), (Mar. 2000),pp. 2804-2813  KRASNYKH, V., et al., "Characterization of an Adenovirus Vector Containing a Heterologous Peptide Epitope in the HI Loop of the Fiber Knob", Journal of Virology, 72 (3), (Mar. 1998),pp. 1844-1852  KRASNYKH, V. N., et al., "Generation of Recombinant Adenovirus Vectors with Modified Fibers for Altering Viral Tropism", Journal of Virology, 70 (10), (Oct. 1996),pp. 6839-6846  LAW, I. K., "Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie-adenovirus receptor", Journal of Virology, 78, (01/2002),656-661  LEGRAND, V., et al., "Fiberless Recombinant Adenovirus-Wisitated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy, 7, (01 o1 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus For Junyal of Virology, 73 (7), (July 1999),pp. 5056-6058  MILLIS, K. G., et al., "File Proteins", Journal of Virology, 74 (11), (Oct. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsacklebirus-Adenovirus Re		OTHE	R DOCUMENTS NON PATENT LITERATURE DOCUMENTS	
Epitopes", Journal of Virology, 70 (4), (Apr. 1996), pp. 2116-2123  GONZALEZ, R., et al., "Increased gene transfer in acute myeloid leukemic cells by an adenovirus vector containing a modified fiber protein", Gene Therapy, 6, (1999), pp. 314-320  HSU, K. L., et al., "A Monoclonal Antiblody Specific for the Cellular Receptor for the Group B Coxsackieviruses", Journal of Virology, 62 (5), (May 1988), pp. 1647-1652  KIRBY, I., et al., "Identification of Contact Residues and Definition of the CAR-Binding Site of Adenovirus Type 5 Fiber Protein", Journal of Virology, 74 (6), (Mar. 2000), pp. 2804-2813  KRASNYKH, V., et al., "Characterization of an Adenovirus Vector Containing a Heterologous Peptide Epitope in the HI Loop of the Fiber Knob", Journal of Virology, 72 (3), (Mar. 1998), pp. 1844-1852  KRASNYKH, V. N., et al., "Generation of Recombinant Adenovirus Vectors with Modified Fibers for Altering Viral Tropism", Journal of Virology, 70 (10), (Oct. 1996), pp. 6839-6846  LAW, L.K., "Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie-adenovirus receptor", Journal of Virology, 76, (01/2002),656-661  LEGRAND, V., et al., "Fiberless Recombinant Adenoviruses: Virus Maturation and Infectivity in the Absence of Fiber", Journal of Virology, 73 (2), (Feb. 1999), pp. 907-919  MASTRANGELI, ANDREA, et al., "Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy, 7, (01 01 1996), 79-87  MICHAEL, S. I., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999), pp. 6056-6065  MULLIS, K. G., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999), pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylgluco		Cite No <sup>1</sup>	(book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s),	T²
GONZALEZ, R., et al., "Increased gene transfer in acute myeloid leukemic cells by an adenovirus vector containing a modified fiber protein", Gene Therapy, 6, (1999),pp. 314-320  HSU, K. L., et al., "A Monoclonal Antitibody Specific for the Cellular Receptor for the Group B Coxsackieviruses", Journal of Virology, 62 (5), (May 1988),pp. 1647-1652  KIRBY, I., et al., "Identification of Contact Residues and Definition of the CAR-Binding Site of Adenovirus Type 5 Fiber Protein", Journal of Virology, 74 (6), (Mar. 2000),pp. 2804-2813  KRASNYKH, V., et al., "Characterization of an Adenovirus Vector Containing a Heterologous Peptide Epitope in the HI Loop of the Fiber Knob", Journal of Virology, 72 (3), (Mar. 1998),pp. 1844-1852  KRASNYKH, V. N., et al., "Generation of Recombinant Adenovirus Vectors with Modified Fibers for Altering Viral Tropism", Journal of Virology, 70 (10), (Oct. 1996),pp. 6839-6846  LAW, L. K., "Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie-adenovirus receptor", Journal of Virology, 76, (01/2002),656-661  LEGRAND, V., et al., "Fiberless Recombinant Adenovirus-Virus Maturation and Infectivity in the Absence of Fiber", Journal of Virology, 73 (2), (Feb. 1999),pp. 907-919  MASTRANGELI, ANDREA, et al., ""Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy, 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Secotypes from Function as a Cellular Attachment Protein for Adenovirus Secotypes from			Alters Receptor Tropism without Affecting Primary Immune Neutralization	
by an adenovirus vector containing a modified fiber protein", Gene Therapy, 6, (1999),pp. 314-320  HSU, K. L., et al., "A Monoclonal Anitibody Specific for the Cellular Receptor for the Group B Coxsackieviruses", Journal of Virology, 62 (5), (May 1988),pp. 1647-1652  KIRBY, I., et al., "Identification of Contact Residues and Definition of the CAR-Binding Site of Adenovirus Type 5 Fiber Protein", Journal of Virology, 74 (6), (Mar. 2000),pp. 2804-2813  KRASNYKH, V., et al., "Characterization of an Adenovirus Vector Containing a Heterologous Peptide Epitope in the HI Loop of the Fiber Knob", Journal of Virology, 72 (3), (Mar. 1998),pp. 1844-1852  KRASNYKH, V. N., et al., "Generation of Recombinant Adenovirus Vectors with Modified Fibers for Altering Viral Tropism", Journal of Virology, 70 (10), (Oct. 1996),pp. 6839-6846  LAW, L. K., "Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie-adenovirus receptor", Journal of Virology, 75, (0172002),656-661  LEGRAND, V., et al., "Fiberless Recombinant Adenoviruses: Virus Maturation and Infectivity in the Absence of Fiber", Journal of Virology, 73 (2), (Feb. 1999),pp. 907-919  MASTRANGELI, ANDREA, et al., ""Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", Gene Therapy, 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 5056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor-Binding Site on the Fiber Proteins o			Epitopes", Journal of Virology, 70 (4), (Apr. 1996),pp. 2116-2123	<u> </u>
(1999),pp. 314-320  HSU, K. L., et al., "A Monoclonal Anitibody Specific for the Cellular Receptor for the Group B Coxsackieviruses", Journal of Virology, 62 (5), (May 1988),pp. 1647-1652  KIRBY, I., et al., "Identification of Contact Residues and Definition of the CAR-Binding Site of Adenovirus Type 5 Fiber Protein", Journal of Virology, 74 (6), (Mar. 2000),pp. 2804-2813  KRASNYKH, V., et al., "Characterization of an Adenovirus Vector Containing a Heterologous Peptide Epitope in the HI Loop of the Fiber Knob", Journal of Virology, 72 (3), (Mar. 1998),pp. 1844-1852  KRASNYKH, V. N., et al., "Generation of Recombinant Adenovirus Vectors with Modified Fibers for Altering Viral Tropism", Journal of Virology, 70 (10), (Oct. 1996),pp. 6839-6846  LAW, L. K., "Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie-adenovirus receptor", Journal of Virology, 76, (01/2002),656-661  LEGRAND, V., et al., "Fiberless Recombinant Adenoviruses: Virus Maturation and Infectivity in the Absence of Fiber", Journal of Virology, 73 (2), (Feb. 1999),pp. 907-919  MASTRANGELI, ANDREA, et al., ""Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy, 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", Gene Therapy, 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 5056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus Secotypes from				
the Group B Coxsackieviruses", <u>Journal of Virology</u> , 62 (5), (May 1988),pp. 1647-1652  KIRBY, I., et al., "Identification of Contact Residues and Definition of the CAR-Binding Site of Adenovirus Type 5 Fiber Protein", <u>Journal of Virology</u> , 74 (6), (Mar. 2000),pp. 2804-2813  KRASNYKH, V., et al., "Characterization of an Adenovirus Vector Containing a Heterologous Peptide Epitope in the HI Loop of the Fiber Knob", <u>Journal of Virology</u> , 72 (3), (Mar. 1998),pp. 1844-1852  KRASNYKH, V. N., et al., "Generation of Recombinant Adenovirus Vectors with Modified Fibers for Altering Viral Tropism", <u>Journal of Virology</u> , 70 (10), (Oct. 1996),pp. 6839-6846  LAW, L. K., "Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie-adenovirus receptor", <u>Journal of Virology</u> , 76, (01/2002),656-661  LEGRAND, V., et al., "Fiberless Recombinant Adenoviruses: Virus Maturation and Infectivity in the Absence of Fiber", <u>Journal of Virology</u> , 73 (2), (Feb. 1999),pp. 907-919  MASTRANGELI, ANDREA, et al., "Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", <u>Human Gene Therapy</u> , 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", <u>Gene Therapy</u> , 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracelilular Trafficking of Adenovirus Gene Transfer Vectors", <u>Journal of Virology</u> , 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", <u>Journal of Virology</u> , 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus Secoptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Secoptor Frotein Can Function as a Cellular Attachment			(1999),pp. 314-320	
KIRBY, I., et al., "Identification of Contact Residues and Definition of the CAR-Binding Site of Adenovirus Type 5 Fiber Protein", Journal of Virology, 74 (6), (Mar. 2000),pp. 2804-2813  KRASNYKH, V., et al., "Characterization of an Adenovirus Vector Containing a Heterologous Peptide Epitope in the HI Loop of the Fiber Knob", Journal of Virology, 72 (3), (Mar. 1998),pp. 1844-1852  KRASNYKH, V. N., et al., "Generation of Recombinant Adenovirus Vectors with Modified Fibers for Altering Viral Tropism", Journal of Virology, 70 (10), (Oct. 1996),pp. 6839-6846  LAW, L. K., "Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie-adenovirus receptor", Journal of Virology, 76, (01/2002),656-661  LEGRAND, V., et al., "Fiberless Recombinant Adenoviruses: Virus Maturation and Infectivity in the Absence of Fiber", Journal of Virology, 73 (2), (Feb. 1999),pp. 907-919  MASTRANGELI, ANDREA, et al., ""Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", Gene Therapy, 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus Serotypes from				
Binding Site of Adenovirus Type 5 Fiber Protein", <u>Journal of Virology</u> , 74 (6), (Mar. 2000),pp. 2804-2813  KRASNYKH, V., et al., "Characterization of an Adenovirus Vector Containing a Heterologous Peptide Epitope in the HI Loop of the Fiber Knob", <u>Journal of Virology</u> , 72 (3), (Mar. 1998),pp. 1844-1852  KRASNYKH, V. N., et al., "Generation of Recombinant Adenovirus Vectors with Modified Fibers for Altering Viral Tropism", <u>Journal of Virology</u> , 70 (10), (Oct. 1996),pp. 6839-6846  LAW, L. K., "Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie-adenovirus receptor", <u>Journal of Virology</u> , 76, (01/2002),656-661  LEGRAND, V., et al., "Fiberless Recombinant Adenoviruses: Virus Maturation and Infectivity in the Absence of Fiber", <u>Journal of Virology</u> , 73 (2), (Feb. 1999),pp. 907-919  MASTRANGELI, ANDREA, et al., ""Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", <u>Human Gene Therapy</u> , 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", <u>Gene Therapy</u> , 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", <u>Journal of Virology</u> , 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", <u>Journal of Virology</u> , 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from			•	
(Mar. 2000),pp. 2804-2813  KRASNYKH, V. , et al., "Characterization of an Adenovirus Vector Containing a Heterologous Peptide Epitope in the HI Loop of the Fiber Knob", Journal of Virology, 72 (3), (Mar. 1998),pp. 1844-1852  KRASNYKH, V. N., et al., "Generation of Recombinant Adenovirus Vectors with Modified Fibers for Altering Viral Tropism", Journal of Virology, 70 (10), (Oct. 1996),pp. 6839-6846  LAW, L K., "Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie-adenovirus receptor", Journal of Virology, 76, (01/2002),656-661  LEGRAND, V., et al., "Fiberless Recombinant Adenoviruses: Virus Maturation and Infectivity in the Absence of Fiber", Journal of Virology, 73 (2), (Feb. 1999),pp. 907-919  MASTRANGELI, ANDREA, et al., ""Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", Gene Therapy, 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", Science, 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from			KIRBY, I., et al., "Identification of Contact Residues and Definition of the CAR-	
Heterologous Peptide Epitope in the HI Loop of the Fiber Knob", <u>Journal of Virology</u> , <u>72 (3)</u> , (Mar. 1998),pp. 1844-1852  KRASNYKH, V. N., et al., "Generation of Recombinant Adenovirus Vectors with Modified Fibers for Altering Viral Tropism", <u>Journal of Virology</u> , <u>70 (10)</u> , (Oct. 1996),pp. 6839-6846  LAW, L.K., "Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie-adenovirus receptor", <u>Journal of Virology</u> , <u>76</u> , (01/2002),656-661  LEGRAND, V., et al., "Fiberless Recombinant Adenoviruses: Virus Maturation and Infectivity in the Absence of Fiber", <u>Journal of Virology</u> , <u>73 (2)</u> , (Feb. 1999),pp. 907-919  MASTRANGELI, ANDREA, et al., ""Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", <u>Human Gene Therapy</u> , <u>7</u> , (01 o1 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", <u>Gene Therapy</u> , <u>2</u> , (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", <u>Journal of Virology</u> , <u>73 (7)</u> , (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", <u>Journal of Virology</u> , <u>64 (11)</u> , (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", <u>Science</u> , <u>286</u> , (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from				
Virology, 72 (3), (Mar. 1998),pp. 1844-1852  KRASNYKH, V. N., et al., "Generation of Recombinant Adenovirus Vectors with Modified Fibers for Altering Viral Tropism", Journal of Virology, 70 (10), (Oct. 1996),pp. 6839-6846  LAW, L. K., "Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie-adenovirus receptor", Journal of Virology, 76, (01/2002),656-661  LEGRAND, V., et al., "Fiberless Recombinant Adenoviruses: Virus Maturation and Infectivity in the Absence of Fiber", Journal of Virology, 73 (2), (Feb. 1999),pp. 907-919  MASTRANGELI, ANDREA, et al., ""Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", Gene Therapy, 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", Science, 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Serotypes from			KRASNYKH, V., et al., "Characterization of an Adenovirus Vector Containing a	
KRASNYKH, V. N., et al., "Generation of Recombinant Adenovirus Vectors with Modified Fibers for Altering Viral Tropism", Journal of Virology, 70 (10), (Oct. 1996),pp. 6839-6846  LAW, L K., "Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie-adenovirus receptor", Journal of Virology, 76, (01/2002),656-661  LEGRAND, V., et al., "Fiberless Recombinant Adenoviruses: Virus Maturation and Infectivity in the Absence of Fiber", Journal of Virology, 73 (2), (Feb. 1999),pp. 907-919  MASTRANGELI, ANDREA, et al., ""Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", Gene Therapy, 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", Science, 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from				
1996),pp. 6839-6846  LAW, L K., "Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie-adenovirus receptor", Journal of Virology, 76, (01/2002),656-661  LEGRAND, V., et al., "Fiberless Recombinant Adenoviruses: Virus Maturation and Infectivity in the Absence of Fiber", Journal of Virology, 73 (2), (Feb. 1999),pp. 907-919  MASTRANGELI, ANDREA, et al., ""Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", Gene Therapy, 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", Science, 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from				
LAW, L K., "Adenovirus serotype 30 fiber does not mediate transduction via the coxsackie-adenovirus receptor", Journal of Virology, 76, (01/2002),656-661  LEGRAND, V., et al., "Fiberless Recombinant Adenoviruses: Virus Maturation and Infectivity in the Absence of Fiber", Journal of Virology, 73 (2), (Feb. 1999),pp. 907-919  MASTRANGELI, ANDREA, et al., ""Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", Gene Therapy, 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", Science, 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from			• • • • • • • • • • • • • • • • • • • •	
LEGRAND, V., et al., "Fiberless Recombinant Adenoviruses: Virus Maturation and Infectivity in the Absence of Fiber", Journal of Virology, 73 (2), (Feb. 1999),pp. 907-919  MASTRANGELI, ANDREA, et al., ""Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", Gene Therapy, 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", Science, 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from			LAW, L K., "Adenovirus serotype 30 fiber does not mediate transduction via the	
and Infectivity in the Absence of Fiber", <u>Journal of Virology</u> , <u>73 (2)</u> , (Feb. 1999),pp. 907-919  MASTRANGELI, ANDREA, et al., ""Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", <u>Human Gene Therapy 7</u> , (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", <u>Gene Therapy</u> , <u>2</u> , (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", <u>Journal of Virology</u> , <u>73 (7)</u> , (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", <u>Journal of Virology</u> , <u>64 (11)</u> , (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", <u>Science</u> , <u>286</u> , (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from				
MASTRANGELI, ANDREA, et al., ""Sero-Switch" Adenovirus-Mediated In Vivo Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", Gene Therapy, 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", Science, 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from			and Infectivity in the Absence of Fiber", Journal of Virology, 73 (2), (Feb.	
Gene Transfer: Circumvention of Anti-Adenovirus Humoral Immune Defenses Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", Gene Therapy, 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", Science, 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from				
Against Repeat Adenovirus Vector Administration by Changing the Adenovirus Serotype", Human Gene Therapy 7, (01 01 1996),79-87  MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", Gene Therapy, 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", Science, 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from				
MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber protein", Gene Therapy, 2, (1995),pp. 660-668  MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", Science, 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from			Against Repeat Adenovirus Vector Administration by Changing the Adenovirus	
MIYAZAWA, N., et al., "Fiber Swap between Adenovirus Subgroups B and C Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", Science, 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from	· · · · · · · · · · · · · · · · · · ·		MICHAEL, S. I., et al., "Addition of a short peptide ligand to the adenovirus fiber	
Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", Journal of Virology, 73 (7), (July 1999),pp. 6056-6065  MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", Science, 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from				
MULLIS, K. G., et al., "Relative Accessibility of N-Acetylglucosamine in Trimers of the Adenovirus Types 2 and 5 Fiber Proteins", <u>Journal of Virology</u> , 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", <u>Science</u> , 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from		·	Alters Intracellular Trafficking of Adenovirus Gene Transfer Vectors", <u>Journal of</u>	
of the Adenovirus Types 2 and 5 Fiber Proteins", <u>Journal of Virology</u> , 64 (11), (Nov. 1990),pp. 5317-5323  ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", <u>Science</u> , 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from				
ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", Science, 286, (Nov. 1999),pp. 1568-1571  ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from			of the Adenovirus Types 2 and 5 Fiber Proteins", Journal of Virology, 64 (11),	
ROELVINK, P. W., et al., "The Coxsackiebirus-Adenovirus Receptor Protein Can Function as a Cellular Attachment Protein for Adenovirus Serotypes from			ROELVINK, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenovirus", <u>Science</u> , <u>286</u> , (Nov.	
Function as a Cellular Attachment Protein for Adenovirus Serotypes from				

DATE CONSIDERED **EXAMINER** 

PTO/SB/08A(10-01)
Approved for use through 103/J2002. OMB 551-0031
US Patent & Trademart Office. U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449A/PTO INFORMATION DISCLOSURE **Application Number** Unknown STATEMENT BY APPLICANT Even Date Herewith **Filing Date** (Use as many sheets as necessary) Davidson, Beverly **First Named Inventor** Unknown **Group Art Unit** Mosher, M. **Examiner Name** Attorney Docket No: 875.044US2 Sheet 3 of 3

		R DOCUMENTS NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No 1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T
		7915	
		SHAYAKHMETOV, D. M., et al., "Efficient Gene Transfer into Human CD34+	
		Cells by a retargeted Adenovirus Vector", <u>Journal of Virology</u> , 74 (6), (Mar.	
_	_	2000),pp. 2567-2583	
		STEVENSON, S. C., et al., "human Adenoviruses Serotypes 3 and 5 Bind to	T
		Two Different Cellular Receptors via the Fiber Head Domain", Journal of	
		Virology, 69 (5), (May 1995),pp. 2850-2857	
		STEVENSON, S. C., et al., "Selective Targeting of Human Cells by a Chimeric	ŀ
		Adenovirus Vector Containing a Modified Fiber Protein", Journal of Virology, 71	1
		(6), (June 1997),pp. 4782-4790	
		TOMKO, R. P., et al., "HCAR and MCAR: The human and mouse cellular	
		receptors for subgroup C adenovirus and group B coxsackieviruses", PNAS, 94,	
		(April 1997),pp. 3352-3356	1
		WANG, X., et al., "Coxsackievirus and Adenovirus Receptor Cytoplasmic and	
		Transmembrane Domains Are Not Essential for Coxsackievirus and Adenovirus	
		Infection", <u>Journal of Virology</u> , 73 (3), (Mar. 1999),pp. 2559-2562	1
		WICKHAM, T. J., et al., "Targeting of adenovirus penton base to new receptors	
		through replacement of its RGD motif with other receptor-specific peptide	
		motifs", <u>Gene Therapy, 2,</u> (1995),pp. 750-756	↓_
		XIA, H., et al., "Recombinant Human Adenovirus: Targeting to the Human	
		Transferrin Receptor Improves Gene Transfer to Brain Microcapillary	
		Endothelium", <u>Journal of Virology</u> , 74 (23), (Dec. 2000),pp. 11359-11366	$\perp$
		ZABNER, J., et al., "A Chimeric Type 2 Adenovirus Vector with a Type 17 Fiber	
		Enhances Gene Transfer to Human Airway Epithelia", <u>Journal of Virology</u> , 73	
		(10), (Oct. 1999),pp. 8689-8695	<u> </u>

**EXAMINER DATE CONSIDERED**